

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Promet Safe, Ltd.
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the ECB•S certification mark for

Light fire storage units of protection level LFS 30 according to EN 15659:2019 and ECB•S C10
(Series Fort M - LFS30 – Types DOL130 FIRE, DO100 FIRE, DO130 FIRE, DO160 FIRE, DO50 FIRE, DO60 FIRE, DO65 FIRE,
Imperial 100, 50, 60, 67, 80, 99, 1068, 1285, 1368, 1385, 1566, 1585, 1668 and 1685)
(see Annex)

Certificate Number

0906/LFS15-02D

6 March 2023

valid from

15 February 2023

Frankfurt am Main

5 March 2027

valid until


Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| General drawings | | | |
| Lock list Safe Grade III | --- | 31.01.2023 | 2 |
| Concrete composition | F2 | 12.11.2015 | 1 |
| Material list for tests and expert opinions | --- | 03.08.2016 | 5 |
| Technical documentation according to ECB•S certificate | 0906/SA13-03G | 05.02.2022 | --- |
| Fort M 50 / DO50 FIRE | | | |
| Safe Fort M 50 grade III fire resistant | 06569 | 09.02.2023 | 1 |
| Body | 06569.01 | 09.02.2023 | 1 |
| Door | 06569.02 | 09.02.2023 | 1 |
| Inner case | 06569.01.01 | 09.02.2023 | 1 |
| Fort M 60 / DO60 FIRE | | | |
| Safe Fort M 60 grade III fire resistant | 06571 | 09.02.2023 | 1 |
| Body | 06571.01 | 09.02.2023 | 1 |
| Door | 06571.02 | 09.02.2023 | 1 |
| Inner case | 06571.01.01 | 09.02.2023 | 1 |
| Fort M 67 / DO65 FIRE | | | |
| Safe Fort M 67 grade III fire resistant | 06573 | 09.02.2023 | 1 |
| Body | 06573.01 | 09.02.2023 | 1 |
| Door | 06573.02 | 09.02.2023 | 1 |
| Inner case | 06573.01.01 | 09.02.2023 | 1 |

continued on page 2

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Fort M 80 | | | |
| Safe Fort M 80 grade III fire resistant | 06575 | 09.02.2023 | 1 |
| Body | 06575.01 | 09.02.2023 | 1 |
| Door | 06575.02 | 09.02.2023 | 1 |
| Inner case | 06575.01.01 | 09.02.2023 | 1 |
| Fort M 99 / Imperial 100 | | | |
| Safe Fort M 99 grade III fire resistant | 06576 | 09.02.2023 | 1 |
| Body | 06576.01 | 09.02.2023 | 1 |
| Door | 06576.02 | 09.02.2023 | 1 |
| Inner case | 06576.01.01 | 09.02.2023 | 1 |
| Fort M 1068 / DO100 FIRE | | | |
| Safe Fort M 1068 grade III fire resistant | 06578 | 09.02.2023 | 1 |
| Body | 06578.01 | 09.02.2023 | 1 |
| Door | 06578.02 | 09.02.2023 | 1 |
| Inner case | 06578.01.01 | 09.02.2023 | 1 |
| Fort M 1285 | | | |
| Safe Fort M 1285 grade III fire resistant | 06587 | 09.02.2023 | 1 |
| Body | 06587.01 | 09.02.2023 | 1 |
| Door | 06587.02 | 09.02.2023 | 1 |
| Inner case | 06587.01.01 | 09.02.2023 | 1 |
| <i>continued on page 3</i> | | | |

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|----------------------------|
| Fort M 1368 / DO130 FIRE | | | |
| Safe Fort M 1368 grade III fire resistant | 06580 | 09.02.2023 | 1 |
| Body | 06580.01 | 09.02.2023 | 1 |
| Door | 06580.02 | 09.02.2023 | 1 |
| Inner case | 06580.01.01 | 09.02.2023 | 1 |
| Fort M 1385 / DOL130 FIRE | | | |
| Safe Fort M 1385 grade III fire resistant | 06589 | 09.02.2023 | 1 |
| Body | 06589.01 | 09.02.2023 | 1 |
| Door | 06589.02 | 09.02.2023 | 1 |
| Inner case | 06589.01.01 | 09.02.2023 | 1 |
| Fort M 1566 | | | |
| Safe Fort M 1566 grade III fire resistant | 06588 | 09.02.2023 | 1 |
| Body | 06588.01 | 09.02.2023 | 1 |
| Door | 06584.02 | 09.02.2023 | 1 |
| Inner case | 06588.01.01 | 09.02.2023 | 1 |
| Fort M 1585 | | | |
| Safe Fort M 1585 grade III fire resistant | 06584 | 09.02.2023 | 1 |
| Body | 06584.01 | 09.02.2023 | 1 |
| Door | 06584.02 | 09.02.2023 | 1 |
| Inner case | 06584.01.01 | 09.02.2023 | 1 |
| | | | <i>continued on page 4</i> |

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Fort M 1668 / DO160 FIRE | | | |
| Safe Fort M 1668 grade III fire resistant | 06582 | 09.02.2023 | 1 |
| Body | 06582.01 | 09.02.2023 | 1 |
| Door | 06582.02 | 09.02.2023 | 1 |
| Inner case | 06582.01.01 | 09.02.2023 | 1 |
| Fort M 1685 | | | |
| Safe Fort M 1685 grade III fire resistant | 06586 | 14.02.2023 | 1 |
| Body | 06586.01 | 14.02.2023 | 1 |
| Door | 06586.02 | 14.02.2023 | 1 |
| Inner case | 06586.01.01 | 14.02.2023 | 1 |

NOTE Only the models corresponding to the listed sizes may be marked with the ECB•S fire certification mark.

To protect from fire, it is recommended to anchor the storage units firmly. In case the anchoring hole in the back wall is opened an anchoring in the back wall is a must.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Promet Safe, Ltd.
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the ECB•S certification mark for

Safes of resistance grade III according to EN 1143-1:2019 and ECB•S C10
(Series Fort M – Types DO50 FIRE, DO60 FIRE, DO65 FIRE, DOL130 FIRE, DO100 FIRE, DO130 FIRE, DO160 FIRE,
Imperial - 100, 50, 60, 67, 80, 99, 1068, 1285, 1368, 1385, 1566, 1585, 1668 and 1685)
(see Annex)

Certificate Number

0906/SA13-03G

5 February 2022

valid from

12 January 2022

Frankfurt am Main

4 February 2026

valid until


Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|---|--------------------------------|--------------------------------|-----------------|
| General drawings | | | |
| Lock list Safe Grade III | --- | 25.12.2021 | 2 |
| Material list for tests and expert opinions | --- | 12.11.2015 | 5 |
| Material | Report 320372, Annex A, page 8 | 24.11.2014 | 1 |
| Concrete composition | F2 | 12.11.2015 | 1 |
| Installation Manual | --- | 04.02.2013 <i>(stamped)</i> | 1 |
| Bolt | 05428.02.03.002 | 22.01.2016 | 1 |
| Door performance of CCB30 | 05432.02 | 27.02.2017 | 1 |
| Rib | | | |
| Ребро | см. таблицу №1 | 21.09.2021 | 1 |
| Boltwork drawings | | | |
| Latch mechanism of grade III | 328729, Annex A, sheet 11 | 30.10.2015 | 1 |
| Fire option drawings | | | |
| See current fire certificate | 0906/LFS15-02x | --- | --- |
| Name variants | | | |
| Artikel-Nr. | T05929-T05941 | --- | 1 |
| Fort M 50 | | | |
| Safe Fort-M-50KL | 05428 | 20.10.2021 | 1 |
| Body | 05428.01 | 20.10.2021 | 1 |
| Door | 05428.02 | 20.10.2021 | 1 |
| Inner case | 05428.01.01 | 20.10.2021 | 1 |
| <i>continued on page 2</i> | | | |

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Fort M 60 | | | |
| Safe Fort-M-60KL | 05432 | 20.10.2021 | 1 |
| Body | 05432.01 | 20.10.2021 | 1 |
| Door | 05511.02 | 20.10.2021 | 1 |
| Inner case | 05432.01.01 | 20.10.2021 | 1 |
| Fort M 67 | | | |
| Safe Fort-M-67KL | 05516 | 20.10.2021 | 1 |
| Body | 05434.01 | 20.10.2021 | 1 |
| Door | 05516.02 | 20.10.2021 | 1 |
| Inner case | 05434.01.01 | 20.10.2021 | 1 |
| Fort M 80 | | | |
| Safe Fort-M-80KL | 05435 | 20.10.2021 | 1 |
| Body | 05435.01 | 20.10.2021 | 1 |
| Door | 05435.02 | 20.10.2021 | 1 |
| Inner case | 05435.01.01 | 20.10.2021 | 1 |
| Fort M 99 | | | |
| Safe Fort-M-99KL | 05436 | 21.10.2021 | 1 |
| Body | 05436.01 | 21.10.2021 | 1 |
| Door | 05517.02 | 21.10.2021 | 1 |
| Inner case | 05436.01.01 | 21.10.2021 | 1 |
| Fort M 1068 | | | |
| Safe Fort-M-1068KL | 05438 | 21.10.2021 | 1 |
| Body | 05438.01 | 21.10.2021 | 1 |
| Door | 05438.02 | 21.10.2021 | 1 |
| Inner case | 05438.01.01 | 21.10.2021 | 1 |

continued on page 3

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|----------------------------|-----------------------|------------|-----------------|
| Fort M 1285 | | | |
| Safe Fort-M-1285KL | 05448 | 21.10.2021 | 1 |
| Body | 05448.01 | 21.10.2021 | 1 |
| Door | 05448.02 | 21.10.2021 | 1 |
| Inner case | 05448.01.01 | 21.10.2021 | 1 |
| Fort M 1368 | | | |
| Safe Fort-M-1368KL | 05442 | 21.10.2021 | 1 |
| Body | 05442.01 | 21.10.2021 | 1 |
| Door | 05379.02 | 21.10.2021 | 1 |
| Inner case | 05442.01.01 | 21.10.2021 | 1 |
| Fort M 1385 | | | |
| Safe Fort-M-1385KL | 05445 | 21.10.2021 | 1 |
| Body | 05445.01 | 21.10.2021 | 1 |
| Door | 05445.02 | 21.10.2021 | 1 |
| Inner case | 05445.01.01 | 21.10.2021 | 1 |
| Fort M 1566 | | | |
| Safe Fort-M-1566KL | 05447 | 21.10.2021 | 1 |
| Body | 05447.01 | 21.10.2021 | 1 |
| Door | 05443.02 | 21.10.2021 | 1 |
| Inner case | 05447.01.01 | 21.10.2021 | 1 |
| Fort M 1585 | | | |
| Safe Fort-M-1585KL | 05443 | 21.10.2021 | 1 |
| Body | 05443.01 | 21.10.2021 | 1 |
| Door | 05443.02 | 21.10.2021 | 1 |
| Inner case | 05443.01.01 | 21.10.2021 | 1 |
| <i>continued on page 4</i> | | | |

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Fort M 1668 | | | |
| Safe Fort-M-1668KL | 05444 | 21.10.2021 | 1 |
| Body | 05444.01 | 21.10.2021 | 1 |
| Door | 05446.02 | 21.10.2021 | 1 |
| Inner case | 05444.01.01 | 21.10.2021 | 1 |
| Fort M 1685 | | | |
| Safe Fort-M-1685KL | 05442 | 21.10.2021 | 1 |
| Body | 05446.01 | 22.10.2021 | 1 |
| Door | 05442.02 | 21.10.2021 | 1 |
| Inner case | 05446.01.01 | 22.10.2021 | 1 |

NOTE Certified *Fort M*-types shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation and in the lock guide ECB•S R01.

The types of the series *Fort M* have a weight of $\leq 1,000$ kg. In accordance with the technical documentation they therefore have to be equipped with an anchoring assembly including material.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.